

Literatur

Albajes, R., C. López, and X. Pons. 2003. Predatory fauna in cornfields and response to imidacloprid seed treatment. *J. Econ. Entomol.* 96(6): 1805–1813.

Alix Anne & Vergnet Christine; Risk assessment to honey bees: a scheme developed in France for non-sprayed systemic compounds ; *Pest Manag Sci* 2007 Nov;63(11):1069-80.

Atkins, EL. *The Hive and the Honey Bee*. Hamilton, IL: Dadant & Sons; 1975. Injury to honey bees by poisoning; p. 663.

Balayiannis George & Balayiannis Panos; Bee Honey as an Environmental Bioindicator of Pesticides' Occurrence in Six Agricultural Areas of Greece; *Archives of Environmental Contamination and Toxicology*; Volume 55, Number 3 / Oktober 2008; p. 462-470.

Bonmatin, J. M., I. Moineau, R. Charvet, M. E. Colin, C. Fleche, E. R. Bengsch. 2003. Fate of imidacloprid in fields and toxicity for honeybees. *Environmental Chemistry*.

Bonmatin JM, Marchand PA, Charvet R, Moineau I, Bengsch ER, Colin ME.; 2005; Quantification of imidacloprid uptake in maize crops.; *Journal of agricultural and food chemistry* 2005 Jun 29;53(13):5336-41.

Bundeslandwirtschaftsministerin Ilse Aigner 2009; Stellungnahme zum Bienensterben und der Wiedenzulassung von Clothianidin; <http://www.ilse-aigner.de/index.php?objektid=1871>

Bundesministerium für Ernährung, Landwirtschaft und Verbraucherschutz (BMELV); 2006; Gute fachliche Praxis im Pflanzenschutz;
http://www.bmelv.de/cln_045/nn_750588/SharedDocs/downloads/01-Broschueren/GutePraxisPflanzenschutz.templateId=raw.property=publicationFile.pdf/GutePraxisPflanzenschutz.pdf

Bundesregierung 2008; Bienensterben durch Neonicotinoide;
<http://dip21.bundestag.de/dip21/btd/16/101/1610161.pdf>

BVL Bundesamt für Verbraucherschutz und Lebensmittelsicherheit, Braunschweig; 2008
Pressemitteilung vom 15.07.2008. Die Pressemitteilung ist einzusehen unter:
http://www.bvl.bund.de/cln_007/nn_491652/DE/08_PresseInfothek/01_Presse_und_Hintergrundinformationen/01_PI_und_HGI/PSM/2008/Hintergrundinformation_BienensterbenII.html

BVL Bundesamt für Verbraucherschutz und Lebensmittelsicherheit, Braunschweig; Absatz an Pflanzenschutzmitteln in der Bundesrepublik Deutschland Jahresbericht 2007;
http://www.bvl.bund.de/nn_1254388/DE/04_Pflanzenschutzmittel/00_doks_downloads/meld_par_19_2007_EN.templateId=raw.property=publicationFile.pdf/meld_par_19_2007_EN.pdf

BVL Bundesamt für Verbraucherschutz und Lebensmittelsicherheit 2005; Table E: Details of Samples with Multiple Residues (≥ 2) in Single Samples;
http://www.bvl.bund.de/cIn_007/DE/01_Lebensmittel/00_doks_download/eg2005-psm-tab-E.templateId=raw.property=publicationFile.pdf/eg2005-psm-tab-E.pdf

Caposiez Y, Berard A: Assessment of the effects of imidacloprid on the behavior of two earthworm species (*Aporrectodea nocturna* and *Allolobophora icterica*) using 2D terraria; *Ecotoxicology and Environmental Safety* 2006, 64:198-206.

Chauzat MP; Faucon JP; 2007; Pesticide residues in beeswax samples collected from honey bee colonies (*Apis mellifera* L.) in France; *Pest Management Science*, Volume 63, Number 11, November 2007 , pp. 1100-1106(7).

Chauzat MP; Faucon JP; Martel AC; Lachaize J; Cougoule N; Aubert M; 2006; A survey of pesticide residues in pollen loads collected by honey bees in France; *Journal of Economic Entomology*, Volume 99, Number 2, April 2006 , pp. 253-262(10).

Claudianos C, Ranson H, Johnson RM, Biswas S, Schuler MA, Berenbaum MR, Feyereisen R, Oakeshott JG.; A deficit of detoxification enzymes: pesticide sensitivity and environmental response in the honeybee.; *Insect Mol Biol.* 2006 Oct;15(5):615-36.

Conti Marcelo Enrique & Botrè Francesco; Honeybees and Their Products as Potential Bioindicators of Heavy Metals Contamination; *Environmental Monitoring and Assessment*; Volume 69, Number 3 / Juli 2001; p. 267-282.

Dechaume-Moncharmont F.-X., Decourtye A., Hennequet, C, Pons O. & Pham-Delègue M.-H. (2003) Statistical analysis of the Honeybee survival after chronic exposure to insecticides, *Environmental Toxicology and Chemistry* 22:3088-3094.

Decourtye, A., C. Armengaud, M. Renou, J. Devillers, S. ; Cluzeau, M. Gauthier, and M. H. Pham-Delegue. 2004; Imidacloprid impairs memory and brain metabolism in the honeybee (*Apis mellifera* L.). *Pestic. Biochem. Phys.* 78: 83-92.

Decourtye A, Devillers J, Cluzeau S, Charreton M, Pham-Delègue MH. 2004b; Effects of imidacloprid and deltamethrin on associative learning in honeybees under semi-field and laboratory conditions.; *Ecotoxicology and environmental safety* 2004 Mar;57(3):410-9.

Devillers, J. Structure-toxicity modeling of pesticides to honey bees. *Sar Qsar Environ Res.* 2002;13:641–648.

Elbert, A.; Becker, B.; Hartwig, J.; Erdelen, C.; 1991; Imidacloprid - a new systemic insecticide; *Pflanzenschutz-Nachrichten Bayer*; v. 44(2) p. 113-136.

El Hassani Adessalam K., Dacher M, Gary V, Lambin M, Gauthier M, Armengaud C.; 2008; Effects of sublethal doses of acetamiprid and thiamethoxam on the behavior of the honeybee (*Apis mellifera*); *Archives of Environmental Contamination and Toxicology* 2008 May;54(4):653-61.

El Hassani Adessalam K., Gary Vincent , Armengaud Catherine , Lambin Michel, Gauthier Monique; 2009; Subchronic Exposure of honeybees to sublethal doses of pesticides: Effects on Behavior; Environmental Toxicology and Chemistry; Volume 28, Issue 1 (January 2009) pp. 113–122.

European Commission Health&Consumer Protection; 2005; Commission working document Clothianidin , SANCO/10533/05 – Final , 18 January 2005

http://ec.europa.eu/food/plant/protection/evaluation/newactive/list_clothianidin.pdf

EXTOXNET database (Oregon State University, 1998); Extension Toxicology Network (EXTOXNET). 1998. Imidacloprid Pesticide Information Profile.

<http://extoxnet.orst.edu/pips/imidaclo.htm>

FDP 2008; Schutz der Bienenvölker sicherstellen;

<http://dip21.bundestag.de/dip21/btd/16/103/1610322.pdf>

Fossen Matthew 2006; Environmental Fate of Imidacloprid; California Department of Pesticide Regulation;

<http://www.cdpr.ca.gov/docs/emon/pubs/fatememo/Imidclprdfate2.pdf>

Frazier M; Mullin C; Frazier J; Ashcraft S; 2008; What Have Pesticides Got To Do With It?; American Bee Journal 06/2008.

Greatti, M., A.G. Sabatini, R. Barbattini, S. Rossi, and A. Stravisi. 2003. Risk of environmental contamination by the active ingredient imidacloprid used for corn seed dressing: Preliminary results. Bull. Insectol. 56(1): 69–72.

Greatti Moreno; Barbattini Renzo; Stravisi Antonella; Sabatini Anna Gloria; Rossi Simona; 2006; Presence of the a.i. imidacloprid on vegetation near corn fields sown with Gaucho® dressed seeds ; Bulletin of Insectology 59 (2): 99-103, 2006.

Green Trevor; Toghil Alison; Lee Robert, Waechter Felix, Weber Edgar; Noakes James; 2005; Thiamethoxam Induced Mouse Liver Tumors and Their Relevance to Humans; Toxicological Sciences 2005 Jul;86(1):36-47

Green Trevor; Toghil Alison; Lee Robert; Waechter Felix, Weber Edgar; Peffer Richard; Noakes James; Robinson Mervyn; 2005b; Thiamethoxam Induced Mouse Liver Tumors and Their Relevance to Humans Part 2: Species Differences in Response ; Toxicological Sciences 2005 Jul;86(1):48-55.

Hommen Udo; 2004; Endbericht Auswertung der wichtigsten in Deutschland durchgeführten Monitoringstudien zu Auswirkungen von Pflanzenschutzmitteln auf Nichtzielorganismen ; Seite 20-21.

http://www.bvl.bund.de/cln_007/nn_492018/DE/04_Pflanzenschutzmittel/00_doks_downloads/studie_psm_wirk_nicht_ziel_org.templateId=raw.property=publicationFile.pdf/studie_psm_wirk_nicht_ziel_org.pdf

IAASTD; International Assessment of Agricultural Knowledge, Science and Technology for Development ; 2008; online;

http://www.agassessment.org/docs/IAASTD_EXEC_SUMMARY_JAN_2008.pdf

Johansen, CA & Kleinschmidt. Insecticide formulations and their toxicity to honeybees. *J Apic Res.* 1972;11:59–62.

Kaakeh, N., W. Kaakeh, and G.W. Bennett. 1996. Topical toxicity of imidacloprid, fipronil, and seven conventional insecticides to the adult convergent lady beetle (Coleoptera: Coccinellidae). *J. Entomol. Sci.* 31: 315–322.

Kirchner, W.H.; Mad-bee-disease? Sublethal effects of imidacloprid (Gaucho) on the behaviour of honeybees; *Apidologie* v. 30(5) p. 421-422.

Kobori, Y. and H. Amano. 2004. Effects of agrochemicals on life-history parameters of *Aphidius gifuensis* Ashmead (Hymenoptera: Braconidae). *Appl. Entomol. Zool.* 39(2): 255–261.

Krischik Vera A. , Alyson L. Landmark, George E. Heimpel; Soil-Applied Imidacloprid Is Translocated to Nectar and Kills Nectar-Feeding *Anagyrus pseudococci* (Girault) (Hymenoptera: Encyrtidae); *Environmental Entomology* 36(5):1238-1245. 2007.

Kunkel BA, Held DW, Potter DA.; 2001; Lethal and sublethal effects of bendiocarb, halofenozide, and imidacloprid on *Harpalus pennsylvanicus* (Coleoptera: Carabidae) following different modes of exposure in turfgrass.; *Journal of Economic Entomology* 2001 Feb;94(1):60-7.

Länderinstitut für Bienenkunde; http://www2.hu-berlin.de/bienenkunde/biene_honig/biologie.html

Laurent FM, Rathahao E. 2003; Distribution of [(14)C]imidacloprid in sunflowers (*Helianthus annuus* L.) following seed treatment; *Journal of agricultural and food chemistry* 2003 Dec 31;51(27):8005-10.

Medina P.; Budia F.; Adaacuten A.; Vintildeuela E.; Toxicity of Fipronil to the Predatory Lacewing *Chrysoperla carnea* (Neuroptera: Chrysopidae); *Biocontrol Science and Technology*, Volume 14, Issue 3 May 2004 , pages 261 – 268.

Medrzycki Piotr, Montanari Rebecca, Bortolotti Laura, Sabatini Anna Gloria, Maini Stefano, Porrini Claudio; Effects of imidacloprid administered in sub-lethal doses on honey bee behaviour. Laboratory tests ; *Bulletin of Insectology* 56 (1): 59-62, 2003.

Ministerium für Ländliche Entwicklung, Umwelt und Verbraucherschutz (MLUV) online; <http://www.mluv.brandenburg.de/cms/detail.php/154209#integr>

Mohammad Al-Jabr Ahmed 1999; Dissertation: Integrated Pest Management of Tomato / Potato Psyllid, *Paratrioza cockerelli* (Sulc) (Homoptera: Psyllidae) with Emphasis on its Importance in Greenhouse Grown Tomatoes; online. <http://www.colostate.edu/Depts/Entomology/theses/aljabr/thesis.html>

Monitoring-Projekt „Völkerverluste“ 2004-2008; 2008; http://www.staff.uni-marburg.de/~ag-biene/Zwischenbericht_DEBIMO_2004_2008_Dez08.pdf

Mullin, C.A., M.C. Saunders II, T.W. Leslie, D.J. Biddinger, and S.J. Fleischer. 2005. Toxic and behavioral effects to Carabidae of seed treatments used on Cry3Bb1- and Cry1Ab/c- protected corn. *Environ. Entomol.* 34(6): 1626–1636.

New South Wales Department of Primary Industries; Currant lettuce aphid *Nasonovia ribisnigri* (Mosley); online.

http://www.dpi.nsw.gov.au/data/assets/pdf_file/0008/57572/Currant_lettuce_aphid_-_Primefact_155-final.pdf

Odoux J.F., Lamy L., Aupinel P. (2004) L'abeille récolte-t-elle du pollen de maïs et de tournesol ? *La Santé de l'Abeille* 201, 187–193.

Pest Management Regulatory Agency Health Canada ; 2004; Regulatory Note REG2004-06 revision Clothianidin Poncho 600 Seed Treatment Insecticide ;
<http://dsp-psd.pwgsc.gc.ca/Collection/H113-7-2004-6E.pdf>

Piscitelli Annemarie; 1959; Über die Bevorzugung mineralstoffhaltiger Lösungen gegenüber reinem Wasser durch die Honigbiene; *Journal of Comparative Physiology A* Volume 42, Number 5 / September 1959; Seiten 501-524.

Ponikvar Maja, Šnajder Jože, Sedey Borka; Honey as a bioindicator for environmental pollution with SO₂ ; *Apidologie* 36 (2005) 403–409.

Pressemeldung aus der Schweiz 2008; Pestizide in Wintersalaten ausser bei «bio»;
<http://www.foodaktuell.ch/nachrichten.php?art=880>

Rogers MA, VA Krischik, LA Martin - Effect of soil application of imidacloprid on survival of adult green lacewing, *Chrysoperla carnea* (Neuroptera: Chrysopidae), used for biological control in greenhouse; *Biological Control*, Volume 42, Issue 2, August 2007, Pages 172-177.

Rortais Agnès, Arnold Gérard, Halm Marie-Pierre, Touffet-Briens Frédérique; Modes of honeybees exposure to systemic insecticides: estimated amounts of contaminated pollen and nectar consumed by different categories of bees; *Apidologie* 2005, vol. 36, no1, pp. 71-83.

Rouchaud, J., F. Gustin, and A. Wauters. 1994. Soil biodegradation and leaf transfer of insecticide imidacloprid applied in seed dressing in sugar beet crops. *Bull. Environ. Contam. Toxicol.* 53(3): 344–350.

Schmuck R & Keppler J.; Clothianidin – Ecotoxicological profile and risk assessment; *Pflanzenschutz-Nachrichten Bayer* 56/2003, 1 26-58.

Schnier HF , Wenig G, Laubert F, Simon V, Schmuck R; 2003; Honey bee safety of imidacloprid corn seed treatment; *Bulletin of Insectology* 56 (1): 73-75, 2003.

Smith, S. F. and V. A. Krischik. Effects of systemic imidacloprid on *Coleomegilla maculata* (Coleoptera: Coccinellidae). *Environ. Entomol.* 28: 1999. 1189–1195.

Stapela J. O. , Corteseroa A. M. , Lewis W. J.; 2000; Disruptive Sublethal Effects of Insecticides on Biological Control: Altered Foraging Ability and Life Span of a Parasitoid after Feeding on Extrafloral Nectar of Cotton Treated with Systemic Insecticides; *Biological Control* Volume 17, Issue 3, March 2000, Pages 243-249.

Stupp HP & Fahl U 2003; Environmental fate of clothianidin (TI-435; Poncho®); *Pflanzenschutz-Nachrichten Bayer*, 2003.

Suchail, S., D. Guez, and L.P. Belzunces. 1999. Characteristics of imidacloprid toxicity in two *Apis mellifera* subspecies. *Environmental Toxicology and Chemistry* 19(7): 1901–1905.

Suchail S, Guez D, Belzunces LP.; 2001; Discrepancy between acute and chronic toxicity induced by imidacloprid and its metabolites in *Apis mellifera*.; *Environmental Toxicology and Chemistry* 2001 Nov;20(11):2482-6.

Sur Robin & Stork Andreas 2003; Uptake, translocation and metabolism of imidacloprid in plants ; *Bulletin of Insectology* 56 (1): 35-40, 2003.

Tasei JN, Ripault G, Rivault E.; 2001; Hazards of imidacloprid seed coating to *Bombus terrestris* (Hymenoptera: Apidae) when applied to sunflower.; *Journal of Economic Entomology* 94(3):623-627. 2001.

Thompson HM; Behavioural effects of pesticides in bees – their potential for use in risk assessment. *Ecotoxicology* 12:317–330 (2003).

Tomizawa Motohiro & Casida John E.; 2005; NEONICOTINOID INSECTICIDE TOXICOLOGY: Mechanisms of Selective Action; *Annual Review of Pharmacology and Toxicology*, Vol. 45: 247-268.

Tomizawa Motohiro; 2004; Neonicotinoids and Derivatives: Effects in Mammalian Cells and Mice; *Journal of Pesticide Science* Vol. 29 (2004) , No. 3 pp.177-183.

Toth T; 2008; Sublethal effects of imidacloprid and amitraz on *Apis mellifera* Linnaeus (Hymenoptera: Apidae) larval development and larval susceptibility to *Varroa destructor* Anderson & Trueman (Mesostigmata: Varroidae); in prep.
http://esa.confex.com/esa/2008/techprogram/paper_35068.htm

United States Environmental Protection Agency (EPA), Office of Prevention, Pesticides and Toxic Substances, May 2003: Pesticide Fact Sheet "Clothianidin, Conditional Registration, May 30, 2003"
<http://www.epa.gov/opprd001/factsheets/clothianidin.pdf>

Westwood, F., K. Bean, A. Dewar, R. Bromilow, and K. Chamberlain. 1998. Movement and persistence of [¹⁴C] imidacloprid in sugar-beet plants following application to pelleted sugarbeet seed. *Pestic. Sci.* 52(2): 97–103.

Yang E. C.; Chuang Y. C.; Chen Y. L.; Chang L. H.; Abnormal Foraging Behavior Induced by Sublethal Dosage of Imidacloprid in the Honey Bee (Hymenoptera: Apidae); *Journal of Economic Entomology* 101(6):1743-1748. 2008.